



{In Archive} RE: it passed!

CLARK METTLER, MARTHA

to:

Linda Holst

03/14/2012 04:31 PM

Hide Details

From: "CLARK METTLER, MARTHA" <MCLARK@idem.IN.gov>

To: Linda Holst/R5/USEPA/US@EPA,

Archive: This message is being viewed in an archive.

Thanks. It is a huge relief.

Martha Clark Mettler
Deputy Assistant Commissioner
Office of Water Quality
Indiana Department of Environmental Management
100 North Senate Avenue
MC 65-40 IGCN 1255
Indianapolis, IN 46204-2251
317-232-8402

From: Linda Holst [<mailto:Holst.Linda@epamail.epa.gov>]

Sent: Wednesday, March 14, 2012 5:30 PM

To: CLARK METTLER, MARTHA; David Pfeifer

Cc: Timothy Henry

Subject: Re: it passed!

Excellent! Congratulations!

Sent by EPA Wireless E-Mail Services

From: "CLARK METTLER, MARTHA" [MCLARK@idem.IN.gov]

Sent: 03/14/2012 05:20 PM AST

To: David Pfeifer; Linda Holst

Cc: Timothy Henry; Tinka Hyde

Subject: it passed!

The board finally adopted antideg – the letter made a huge difference – thanks so much for your support (and patience).

Martha Clark Mettler
Deputy Assistant Commissioner
Office of Water Quality
Indiana Department of Environmental Management
100 North Senate Avenue
MC 65-40 IGCN 1255
Indianapolis, IN 46204-2251
317-232-8402